

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
1	24	Campus Community	Affiliations		12919721	Inactivating of child affiliations through add/update – Parent status does not get updated	Rectified the app package people code where the parent code is updated.		
2	24	Campus Community	Affiliations		13012540	Batch Process – Inclusion of manual affiliations	Changed the view used in choosing the affiliation codes, to populate manual affiliation code also, and change the process, to handle manual affiliations. The changes to the process include filtering out the manual codes in the usual process of generating message, and add new method/code to assign affiliations directly, for manual codes.		
3	24	Campus Community	Affiliations		13341139	Affiliations – Select/Delete Phase II: Inclusion of manual affiliations	Change the 'SCC_AFL_BTCH_VW' SQL , not to filter the manual codes to be chosen while running the select process.		
4	24	Campus Community	Checklists		12840163	CHECKLIST TABLE PAGE REFRESH WHEN USER PAUSES WHILE TYPING DESCR	Removal of the extra Description field which is in Level 0 of Checklist Table Page gives you the expected behavior.		
5	24	Campus Community	Comments		11830597	COMMENT FIELD LABEL IS DUPLICATED ON ORGANIZATION COMMENT ENTRY PAGE	Add the required condition for display of Organization Comments in Record Level Rownit Code of CMNT_CATEGORY field, then you can avoid the Comment field label duplication.		
6	24	Campus Community	Common Utilities	File Parser	12529794	ADD MONTH/YEAR & YEAR DATE FORMATS TO FILE PARSER FILE MAPPING DEFINITION	Modify impacted Application Package, pages and components to accommodate new date formats.		
7	24	Campus Community	Common Utilities	File Parser	12529856	CALCULATED FIELDS NOT BEING POPULATED IN CHILD RECORD USING INHERIT FROM PARENT	Modify impacted Application Package PeopleCode to allow a like named field in a subordinate (child) table to inherit a calculated value.		
8	24	Campus Community	Common Utilities	File Parser	12622038	FILE MAPPING DEFINITION - ABILITY TO SUB-PARSE AN INCOMING FIELD	Modify impacted Application Package, pages and components to be able to sub-parse an incoming field with multiple answers and assign each of those values to a single unique row within a targeted table.		

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
9	24	Campus Community	Common Utilities	File Parser	12781543	FILE PARSER CALCULATED MAPPING ACTION UNABLE TO ACCESS FILE FIELD VALUES	Modify impacted Application Package objects in order to expose the incoming file field values to be accessed by a user defined (written) Application Class PeopleCode.		
10	24	Campus Community	Common Utilities	File Parser	13146618	CALCULATED FIELDS DO NOT RECOGNIZE SKIP IF BLANK	Modify impacted Application Package objects such that 'Calculated' Mapping action behaves the same as the 'Direct from File', when the 'Skip if Blank' attribute is enabled.		
11	24	Campus Community	Communication	Communication Generation	11626034	PSFT 2006437000-CG: UNABLE TO CREATE JAVA HEAP ON WINDOWS 2003 R2 PROCESS SCHED	The SCC_COMMGEN app engine has been modified to address part of the scalability issues. When sending communications via email or to the printer (without envelopes and labels), CommGen will now process and update communications one at a time - the COMMUNICATION record will be updated as soon as the communication has been processed. This will allow customers to track which communications have been processed even if the process aborts. Due to a limitation with which the PSAESRV process handles java processing, customers are still encouraged to increase the java heap size for their process scheduler when dealing with very large CommGen runs.		
12	24	Campus Community	Constituent Services		12358693	ISIR IMPORT PROCESS TO BE MODIFIED TO TRIGGER SCC_PERSON_SYNC EIP	To publish SCC_PERSON_SYNC from ISIR, the Batch Publish Design Pattern will be utilized. CCPMNTPD will be modified to insert into a PERSON_SA message staging table as part of any insert/update into PERSON_SA. Batch Publish utility metadata will also be delivered to enable the Batch Publish Utility to trigger SCC_PERSON_SYNC.		

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
13	24	Campus Community	Evaluations		13240633	RT_01: Evaluation Management System	<p>Created setup structures to support Evaluation processing which include: Evaluation Category, Evaluation Code, Recommendation Values, Status Code Values, Rating Components, Rating Schemes, Calculated Schemes, Committee Schemes, and Individual Evaluator Schemes.</p> <p>Created a generic Evaluation data structure to allow processing of different types of evaluations.</p> <p>An administrative maintenance component displays an evaluation instance and provides access to update Status Codes, Rating values, Recommendations, and Comments. Evaluators can be added or removed.</p> <p>Evaluations can be created, updated, and deleted using the Create/Maintain Evaluation process which utilizes Population Selection. Update Actions include: Add/Remove Evaluator, Add/Remove Component, and Reassign Evaluator.</p>		
14	24	Campus Community	Frameworks	Constituent Transaction Manager	11646560	CTM: NOT POPULATING PRIMARY_NID RETURNS A "SETPERSONDIVERSITY SERVICE" ERROR	<p>This fix is provided to validate the PRIMARY_NID flag data. National ID data were getting into production without a PRIMARY_NID flag checked. This fix validated the NID data and checks for more than one NID marked primary or no NID row marked PRIMARY.</p>		

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
15	24	Campus Community	Frameworks	Constituent Transaction Manager	12351589	CTM - EMAIL ADDRESS VALIDATION IS EXCLUDING VALID EMAIL ACCOUNTS	When using AAWS, the Constituent Transaction Manager returns the following error message when an email address is entered with only one character after the @ sign: "Domain name must be at least 2 characters after @ sign - Error Message: (14100, 898)". Since this is not a standard HR SOA service error message, CTM should not use it. The fix removes the error message.		
16	24	Campus Community	Frameworks	Constituent Transaction Manager	12916907	CTM: MODIFY TRANSACTION MANAGEMENT RUN CONTROL COMPONENT TO ISOLATE IT FROM AAWS	Create dynamic view - SCC_SL_TMP_ID for the SCC_TEMP_ID field Prompt values. Modify code on RowInit and field change events to create dynamic view SQL		
17	24	Campus Community	Frameworks	Constituent Transaction Manager	12931839	CTM: TRANSFER CONSTITUENT TO TRANSACTION STAGING COMPONENT HAS REFERENCE TO AAWS	Modify the SCC_SL_DERIVER.SCC_CONSTIT_PB.FieldChange PeopleCode Transfer Statement to point to Menu Name SCC_SL_SMP		
18	24	Campus Community	Frameworks	Constituent Transaction Manager	12940956	CTM: ABILITY TO UNPOST A TRANSACTION POSTED BY MISTAKE	This fix is delivered to provide ability to unpost a transaction that was posted by mistake. Currently this functionality exists inside the AAWS Application Transactions staging component. Since it is a common functionality, CTM provided a common way/logic to unpost transactions.		
19	24	Campus Community	Frameworks	Constituent Transaction Manager	12977406	CTM: UPDATE CONST STAGING RECORDS/COMPONENT + SCHEMAS DUE TO RESEARCH PROJECT	The schema for message definitions SCC_ENTITY_CONSTITUENT and SCC_ENTITY_APPLICATION were updated with new and modified entities from Research Tracking development.		
20	24	Campus Community	Frameworks	Entity Registry	13060919	ENTITY REGISTRY: MULTIPLE EFFDT ROWS NOT HANDLED CORRECTLY	For staged entities effdt handling was fixed to properly handle multiple effdt rows as used by UCAS.		

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
21	24	Campus Community	Organization Data	Identification Data	12758513	CANNOT RE-CREATE ORGANIZATION AFTERING RUNNING	While creating a new Organization, a row is inserted into PS_ID_TYPE_TBL table. Added code in DERIVED_CS.ORG_ID_DELETE_PB.SavePostChange event to delete row from PS_ID_TYPE_TBL also when an Organization is deleted.		
22	24	Campus Community	Organization Data		11632614	PSFT 2018056000-SA 9 LOSS OF SEARCH KEYS ON EXT_ORG_TBL IMPACTS ADMISSIONS ENTRY	A new view EXT_ORG_SRCH2 has been created for customers to use as a replacement prompt table for both ADM_T189_ORG_EC.EXT_ORG_ID and DERIVED_CS.EXT_ORG_ID, and for customers to use as a replacement search record to the EXT_ORG_AFFLTN component. EXT_ORG_SRCH2 will have the following fields as search keys: External Org ID, Search Name, Organization Type, School Code, School Type, FICE Code, ATP Code, City, State, Postal Code and Country. Note: Customers are expected to change their search records and prompt tables to use the new EXT_ORG_SRCH2 view, since some of the new fields on the EXT_ORG_SRCH2 view are country-specific.		
23	24	Campus Community	Person Data	Relationships	12725482	CAMPUS COMMUNITY RELATIONSHIP ENTRY PAGE ISSUE	Added code in SavePostChange event of RELATIONSHIPS.GBL and RELATIONSHIPS_ADM.GBL components to disable EMPLID_RELATED field after saving the Relationships page. Also added code in RELATIONSHIPS_ADM.GBL.RELATIONSHIPS.EFFDT.FieldEdit event to throw error message to the user if future dated relationship is entered.		
24	24	Campus Community	Person Data		11608550	PSFT 1974701000-PERSONAL_DATA3 AND HR_ETHNIC_GROUPS DO NOT UPDATE PS_ETHNICITY_D	Add a step to AE program SCC_ETHUP_AE to delete the orphan rows and make the ETHNICITY_DTL in sync with DIVERS_ETHNIC		

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
25	24	Campus Community	Self-Service	Self Service Email	11593199	PSFT 1947088000-SYSTEM SAVES EMAIL ADDRESS EVEN WHEN NO PREFERRED TYPE IS SELECT	Modified code in SS_CC_EMAIL_ADDR.GBL and SS_CC_PERS_PHONE.GBL components to display error message to the user when user tries to save the page without selecting preferred row or when user tries to delete a preferred row.		
26	24	Campus Community	Self-Service	Self Service Emergency Cnct	11593868	PSFT 1948264000-PHONE EXTENSION/COUNTRY FIELDS ARE NOT DISPLAYED IN EMERGENCY CO	Added new fields on the following pages to display extension and country code information: SCC_EMERG_CNTCT1,SCC_EMRG_PHONE_SBP,SCC_EMERG_CNTCT2,SS_CC_EMERG_CNTCT_D,SS_CC_EMERG_CNTCT_L and SS_CC_PERS_PHONE		
27	24	Campus Community	Service Indicators		11605528	PSFT 1969506000-RECORD PROPERTIES FOR AUDIT_SRVC_IND STILL REFERENCE AS PARENT '	Set the parent record property of AUDIT_SRVC_IND to blank since it is referenced by several records (SRVC_IND_DATA, SCC_SI_ORG, SRR_ORG_SEL_VW and SRVC_INS_FA_VW).		
28	24	Campus Community	Service Indicators		12898571	SCC_SI_ASSN/SCC_SI_RELS: INTERMITTENT ROW LOCK CONTENTION	Change the commit property of Step CleanUp of Main Section from 'Default' to 'After Step' In App Engine Process SCC_SI_ASSIGN, SCC_SI_RELS, SCC_ORG_ASSIGN and SCC_ORG_RELS		
29	25	Campus Community	Affiliations		11574031	Affiliations	PSFT 1910959000-AFFILIATIONS - GANTT CHART VIEW OF AFFILIATIONS	Delivered Gantt setup UI to define the Gantt chart properties. View Affiliations Component modified to include the View Gantt Chart Page in it.	
30	25	Campus Community	Affiliations		13083820	Affiliations	SQL ERROR IN AFFILIATIONS HIERARCHICAL VIEW - SCC_AFLPRSCD_LN	Added the missing key field 'START_DT' in the related language records 'SCC_AFLPRSCD_LN' and 'SCC_AFLCHDCD_LN'.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
31	25	Campus Community	Affiliations		13399898	Affiliations	TREE VIEW:NOT ALL THE CHILD NODES ARE DISPLAYED FOR AFFL CODES WITH MULTIPLE CHI	Rectified the code in the method 'getChildren' of the 'TreeStructure' app class to display the nodes correctly when end-dated. Also changed code in 'initializeParameters' method of the same app class, and, SQL of a view 'SCC_AFL_PRSNCD' to resolve issues in the Person Affiliations tree.	
32	25	Campus Community	Checklists		12323614	3C Delete	SEPARATION OF UPDATED AND DELETION SECURITY ON 3C GROUP SECURITY PAGE	A new field to separately secure the 'delete' access has been added on the 3C Group Security page, and changes have been made across the 3C Deletion functionality to handle it.	Verify Delete "Trash Can" on Summary Pages. Verify 3C Delete Batch Process. Audit users and assign USERS to 3C Delete.
33	25	Campus Community	Communication	Communication Generation	13624323	3Cs	COMMGEN NOT UPDATING COMMUNICATION OUTCOME SECTION OR CHECKLISTS PROPERLY	PeopleTools BulkMode processing was causing issues for non-Oracle platforms, whereby the communication outcome status was not being updated. BulkMode processing has now been disabled.	For SQL Shops. Re-Verify Commgen.
34	25	Campus Community	Communication	Communication Generation	13680385	3Cs	ENVELOPE & LABEL PROCESS "VIEW GENERATED COMMUNICATION" ORG HYPERLINK FAILURE	Code was missing from the SCC_CGLABELS process that previously set the CG_SORT_ORDER value of rows in the SCC_CG_MERG_TBL before generating envelopes and labels. This code has been re-instated. Additionally, the AttachEnvelope method has been modified so that it inserts the correct CG_SORT_ORDER value of the communication in the SCC_CG_ATTENV table.	Verify Commgen Sorting. Warning App Engine Re-Delivered!

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
35	25	Campus Community	Communication	Communication Generation	13699355	3Cs	COMMGEN ON PT8.52 VIEW COMMUNICATION HYPERLINK PRESENTS GARBLED PDF DOCUMENT	The BuildAttachment method of the SCC_COMMGEN:Util:CommGenUtil class has been modified to use the new ViewXMLAttachment method to display the appropriate communication/envelope when the PeopleTools version is 8.52 or greater. The existing zipAndViewAttachment method will be used to display the communication/envelope for customers still on pre-8.52 versions of PeopleTools. Since the ViewXMLAttachment method will not exist on customers' environments that are still pre-8.52, the PeopleTools method ObjectDoMethod will be used to invoke the ViewXMLAttachment in order to ensure that the code will always compile irrespective of the version of PeopleTools.	App Engine SCC_COMMGEN. Test Thoroughly!
36	25	Campus Community	Communication	Communication Generation	13729597	3Cs	COMM GEN LETTERS SORTED INCORRECTLY AFTER CS BUNDLE 24	The SCC_COMMGEN and SCC_CGLABELS app engines have been modified to consider the run control sorting parameters defined on the respective Communication Generation and Envelope and Label Generation run controls.	Verify Commgen Sorting. Warning App Engine Re-Delivered!
37	25	Campus Community	Communication	Communication Generation	13881074	3Cs	COMMGEN LETTERS ARE NOT SORTING AFTER BUNDLE 24 AND CRITICAL FIX 878753	The SCC_COMMGEN and SCC_CGLABELS app engines have been modified to consider the run control sorting parameters defined on the respective Communication Generation and Envelope and Label Generation run controls.	Verify Commgen Sorting. Warning App Engine Re-Delivered!



Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
38	25	Campus Community	Frameworks	Entity Registry	13694656	AAWS, CC	CS BUNDLE 24 ERROR ON APPLICATION TRANSACTIONS AND CONSTITUENT STAGING	Redelivered the entity registry data for entities introduces in Bundle #24 to fix issues with missing entity properties.	
39	25	Campus Community	Organization Data		12535143	ATP Post process	ATP POST PROCESS ABORTING - CCATPPST.SQR	Add code to wrap the date field CHG_DATE with DATEOUT-PREFIX and DATEOUT-SUFFIX in procedure Process-main of CCATPPST.SQR.	
40	25	Campus Community	Others		13406117	Translation	PSFT: UNTRANSLATED LABELS ON PAGE SCCPS_RESULTS / SCOPING ISSUE	Message Catalog entries are used for SCCPS_RESULTS Page title and SCCPS_OK button label to include it in scope for translation.	
41	25	Campus Community	Others		13579397	ISIR Inbound Load	CAMPUS COMMUNITY UPDATES FOR IBM COBOL COMPILER	Minor syntax change to the COBOL program CCPGETSS to make it compatible with the IBM COBOL compiler.	Check ISIR Inbound process.
42	25	Campus Community	Security	US FERPA	11570350	FERPA Quick Entry	PSFT 1904385000-FERPA QUICK ENTRY TIMES OUT ON OFTEN	The FERPA quick entry page has a scroll area that references the FERPA audit table, which is used when saving to the audit table. Since the scroll area is not being used to display any data, the scroll property 'No Auto Select' is checked so data from audit table will not be automatically retrieved.	
43	25	Campus Community	Service Indicators		11667298	Manage Service Indicators	THE ORIGINAL SERVICE INDICATOR CAN BE REPLACED 'UNINTENTIONALLY' BY A NEW VALUE.	In application package SCC_SI_MANAGEMENT's SrvclndPersonData and SrvclndOrgData application classes, added a function to display a warning message if the SI code assigned to a person or an organization is changed. The user will be given the option to either proceed with the change or to retain the original SI code.	Assign a service indicator and verify pop-up.

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
44	25	Campus Community	Service Indicators		11811307	Manage Service Indicators	SERVICE INDICATORS WITH INACTIVE DEPARTMENT ID	The SQL view that retrieves the list of SI reason code does not check if the department associated with it has been inactivated. The view SRV_IND_RS_SCTY was modified to include a condition to check that the SI reason code references an active department.	Verify assignment of Service Indicator/Reasons
45	25	Campus Community	SEVIS Processing		13381774	SEVIS: F/M Alerts process STATUS - VERIFY	SEVIS: STATUS-VERIFY NOT DELETED FROM ALERTS PAGE WHEN SENT TO MASTER	Modified SQRW CCSEVSUF.SQR to process SEVIS event type FUSVS (F/M Status-Verify).	Run SEVIS F/M Alert
46	26	Campus Community	Affiliations		13794942	Affiliations Set up	VALIDATION OF APPLICATION CLASS WHEN DEFINING AN AFFILIATION	The affiliation set up table has been altered to have three new fields – 'PACKAGEROOT', 'QUALIFYPATH', 'APPCLASSID'. The prompt tables for each of these fields are views based on the app class definition table. The set up page has been modified to accommodate these fields, so the user can choose from the list of values available, instead of keying in the app class. The existing application class field on the page is made a display-only one. An upgrade App Engine has been delivered to update the three separate fields, for existing rows.	
47	26	Campus Community	Affiliations		13795209	Affiliations Set up	VALIDATE INACTIVE ROOT W/ACTIVE CHILDREN ON DEFINITION	Added validation code to throw a warning when an attempt is made to inactivate parent/root with active children, and, also when an attempt is made to activate the child code when parent/root is inactive.	
48	26	Campus Community	Affiliations		13795237	Affiliations	CHART VIEW SETUP - ABILITY TO SPECIFY WHICH AFFILIATIONS TO DISPLAY & ORDER	New field color order included on the setup to control the order in which the Affiliations get displayed on the chart.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
49	26	Campus Community	Checklists		11470129	Process Checklists	PSFT 1718082000-CAN NOT SEE THE ENTIRE ID ON THE CHECKLIST ITEM UPDATE PROCESS	Resize the EMPLID field in the Checklist-Item update automated page	
50	26	Campus Community	Checklists		11543643	Person and Organization Checklist Management	PSFT 1855633000-PERSON CHECKLIST WARNING MESSAGE ON SAVE IS HARDCODED IN ENGLISH	Show the message "Checklist_Status conflicts with Item Status." using the message catalog. The message does not exist so there is a need to add a new message. Then you can use the message number in the peoplecode instead of the hard coded text and after that there should be no translation issue.	
51	26	Campus Community	Checklists		13894324	Campus Community Financial Aid - SAP	CREATE NEW 3C ADMIN FUNCTION FOR SAP WITH AID YEAR AND STRM AS VARIABLE DATA	Create new Secondary and Subpage for New Admin function FINT. Update all the referring people codes. Add new PopSelect Admin Function Context for 3CEngine. Create new Bind and Derived records for it.	
52	26	Campus Community	Common Utilities	3C Engine	11474903	Run 3C Engine's 3C Engine Parameter's page	PSFT 1726968000-RUN 3C ENGINE	Changed the destination type of the 'Detail' hyperlink from 'Internal Link' to 'Peoplecode Command', and used the Transfer function to call the 3C Event Definition page, passing the appropriate key values, particularly the Event ID's DESCR	
53	26	Campus Community	Communication	Communication Generation	13605931	Communication Generation	COMMGEN ERROR MESSAGE ENHANCEMENTS NEEDED ESPECIALLY RE "MISSING CRITICAL DATA"	After running the Communication Generation and Envelope and Label Generation processes, a new link called "View Missing Critical Data" will be present on both the Person Communication and Organization Communication Management pages. Upon clicking this link, a user will be navigated to a secondary page detailing the critical data that needs to be addressed.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
54	26	Campus Community	Communication	Communication Generation	14029990	Checklists	ERROR WHEN ADDING ITEM FOR CHECKLIST SETUP UNDER MORE THAN 1 INSTITUTION	Added the 'institution' field in the 'where clause', where the details of checklist items are fetched, to choose correct details.	
55	26	Campus Community	Evaluations		13952045	Evaluations	RT_01: EVALUATION MANAGEMENT SYSTEM (AF JUL 2012)	Added several enhancements including: <ul style="list-style-type: none"> <li>- Ability to copy Evaluation Setup.</li> <li>- Attachments can be added to every level of an evaluation.</li> <li>- Recommended Prize prompt values can vary by Evaluation Code.</li> <li>- Additional edits have been added to the Manage Evaluation Component.</li> <li>- The Create/Maintain Evaluations process can now update the Status, Date, Recommendation, and Recommend Prize fields at the Evaluation (top) level.</li> </ul>	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
56	26	Campus Community	Events		11231884	Meeting Details Page	PSFT 745719000-NUMBER OF MEETING ATTENDEES ISN'T CORRECT.	As per people books "Number of Attendees" means the number of attendees invited to a meeting. But here in Meeting Details Page they are displaying sum of invited and attended attendees. Now we modified the Code to show only the invited attendees number. To make it clear we added a new label called "Number of Attendees invited". They are also displaying number of attendees in Meeting Details Page from PS_CAMPUS_MTG_SEL. But PS_CAMPUS_MTG_SEL contain extra rows which are not present in PS_CAMPUS_EVNT_ATT. Now we correct it.	
57	26	Campus Community	Events		11314282	Campus Meeting Details page	PSFT 1348588000-CC 8.9: CAMPUS MEETING DISPLAY SORTS BY DESCRIPTION INSTEAD OF	The data on Meeting Details Page is by default set to be sort by description field instead of Meeting time. You can overwrite the default sorting order, so added a piece of code to sort the data by meeting time.	
58	26	Campus Community	Frameworks	Constituent Transaction Manager	13920800		CTM: IMPACTED FEATURE: NLD PRIOR EDUCATION NEW FIELDS ARE ADDED	Due to NLD record changes (new fields added to SSR_STD_EDU_NLD, SSR_EMP_NAT_NLD, SSR_STUDENT_NLD), corresponding staging records SSR_EDU_NLD_STG, SSR_NAT_NLD_STG, SSR_STD_NLD_STG are modified and NLD business validations to these fields are carried over to CTM. This bug addresses all the above mentioned changes	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
59	26	Campus Community	Frameworks	Constituent Transaction Manager	14114202	Constituent Staging component	CTM: IMPACTED FEATURE: NAME FORMATS ARG AND CHN DON'T DISPLAY PROPER NAME FIELDS	Due to changes in Name Format type of ARG and CHN - CTM Staging component got impacted. Code changes in SCC_SL_TRANSACTION.COMPONENT S.SCC_CONST_STG.OnExecute events to display appropriate subpages for ARG and CHN format has been taken care with bug - 13632009	
60	26	Campus Community	Frameworks	List of Values	13088513	List of Values Web Service	LOV: LOV SERVICE SHOULD ALLOW MULTIPLE LOVS IN A SINGLE CALL (SCC_LOV_REQ.XSD)	The existing LOV request message schema is modified to allow multiple LOVs to be allowed to be queried in a single call.	
61	26	Campus Community	Frameworks	List of Values	13894612	List of Values Web Service	LOV: ADD A HIGHER KEY: "LOV UNIQUE ID".	A new high level unique key field SCC_LOV_UID was added to the following records: SCC_SL_LOV_HDR SCC_SL_KEY_ADMN SCC_SL_LOV_KEYS SCC_SL_LOV_VAL SCC_SL_VAL_ADMN	
62	26	Campus Community	Frameworks	List of Values	14304474	Entity Registry Based Web Services	LOV: PERFORMANCE IMPROVEMENT	Removed the Security Check when displaying an LOV description associated with an entity property. This resulted in a significant performance enhancement for web services containing entities utilizing LOV functionality.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
63	26	Campus Community	Frameworks		14055539	Common Attribute Framework	FMK_101: COMMON ATTRIBUTE FRAMEWORK (AF JUL 2012)	Common Attribute Framework provides a way to define common attributes which can then be associated with a record definition. A common attribute is a data element similar to a field, but it can be created in the PIA dynamically at runtime. Once associated with a record, it can be displayed on a page. So, once a page is common attribute enabled, users can add new attributes dynamically to capture additional information without having to modify the underlying database table.	
64	26	Campus Community	Frameworks		14156623	Campus Community Service Tester	GENERIC SERVICE TESTER FWK (AF JUL 2012)	Campus Solutions has delivered a couple of services around Admissions (AAWS) and program Enrollment areas (EWS) and plans to deliver additional web services across various modules in coming few bundles. To be able to functionally test these services, currently, a service tester needs to be created which is very specific to the service being delivered. This service tester cannot be used for any other service. This is a big limitation of the current design as there needs to be a service tester for each service. This increases the development/ maintenance cost and its difficult for QA and product management team to use different testers for each service. There is a need to develop a generic service tester which would be configuration driven and can be used across all services. This generic tester could also be leveraged by CS support team and customers to test the services being delivered.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
65	26	Campus Community	Integration and Interfaces	HRMS Integration	11636358	Student Admissions Transcrip Load Campus Community	PSFT 2024194000-CS-HR-SPLIT_CS-MASTER: TS189 POST - FOR NEW IDS GENERATED, SSN I	Code added to change NATIONAL_ID value from BLANK to NULL to process it with 'nv!' function in Procedure Insert-NID-stg of CCCMNTPD.sqc	
66	26	Campus Community	Others		11597952	FERPA Restriction Pages	PSFT 1956047000-CC - COMM DIRECTORY: WHEN AN ID HAS FERPA RESTRICTED DATA AND THE	Provided a "help button" or link to the more comprehensive help text for aesthetic and screen real estate reasons would be the best solution.	
67	26	Campus Community	Person Data	Addresses	11597466	ADDRESSES_89, SCC_BIO_DEMO_ADDR Pages in following components. 1.ADM_APPL_ENTRY1 2.ADM_APPL_MAINTNCE 3.ADM_PROSPECT_PROG 4.QUICK_ADMIT 5.SCC_BIO_DEMO 6.ADDRESS_MAINT	PSFT 1954955000-SYSTEM IS NOT DISPLAYING EXPECTED ERROR MESSAGES IN ADDRESSES PA	Required code is added to display the expected error messages. The given fix is not working properly in QUICK_ADMIT & ADM_APPL_ENTRY1 components. So raised a new bug(bug#14189419).	
68	26	Campus Community	Person Data	Names.	13632009	CTM, Campus Community	NAME FORMAT TYPE NOT WORKING CORRECTLY	Created and added two new fields to DERIVED_SCC_NM record namely SCC_NAME_ARG_GRP and SCC_NAME_CHN_GRP. Created 2 new subpages, SCC_NAME_ARG_SBP and SCC_NAME_CHN_SBP to display name fields in Argentinean and Chinese format respectively. Inserted these 2 subpages into SCC_NAME_ENTRY_SBP subpage. Modified code in SCC_PERSON_SOA_CONSUMER.Pers onServiceConsumer.SCC_PersNames Consumer.OnExecute and SCC_SL_TRANSACTION.COMPONENT S.SCC_CONST_STG.OnExecute events to display appropriate subpages for ARG and CHN format.	



Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
69	26	Campus Community	Person Data		12991833	Student Admissions Transcrip Load Campus Community	HYPHENS INTRODUCED IN STORED SSN DATA VIA CCMNTPD.SQC WHEN BLANK SSN IS ENTERED	Code is added to remove '-' from the format of SSN and insert default value as 'XXXXXXXX' to NATIONAL_ID field in Procedure Add-Personal-Data of CCCMNTPD.sqc	
70	26	Campus Community	Person Data		14065496	CS Person Disability	EMEA**NO START AND END DATE OF DISABILITIES FOR ITALY	CS has to react to an HR Change being delivered in resolution 880588 by delivering the CS record/view that use DISABL_ITA_SBR.	
71	26	Campus Community	Service Indicators		11620222	Service Indicator batch process, SF and FA functions involving service indicators	PSFT 1997521000-ENHANCEMENT REQUEST: MASS ASSIGN/RELEASE SERVICE INDICATORS PROC	Added the field PROCESS_INSTANCE to AUDIT_SRVC_IND to keep track of the service indicators assigned / released during a mass assign / release process.	
72	27	Campus Community	Affiliations		11574028	Affiliations	ADD ADDITIONAL TRIGGERS FOR OTHER AFFILIATION TYPES	An additional trigger for a non-student employee has been included.	
73	27	Campus Community	Affiliations		14148453	Affiliations	PUBLISH AFFILIATIONS MESSAGE WHEN AFFILIATION ARE ASSIGNED/MODIFIED IN ADD/UPDATE AFFILIATION ADMIN COMPONENT	Added code in the save post change of the Add/Update Affiliation component, to publish the message.	
74	27	Campus Community	Affiliations		14505460	Constituent Services	CONSTITUENT FULLSYNC MESSAGE NEEDED FOR INITIAL CONST.LOADS	Created new full sync message version 1, internal version, and a version transformation.	
75	27	Campus Community	Affiliations		14522935	Affiliations	NEED A QUERY TO EXTRACT DEFIND AFFILIATION SET UP DATA, INCLUDING RANKING	Created new affiliation code query including ranking.	
76	27	Campus Community	Checklists		11231163	Checklist	PSFT 1170302000-CC 8.9: THE VIEW HYPERLINK DOES NOT WORK CONSISTENTLY ON PERSON	Bypass the retrieval of the variable data if the admin function is 'GEN' therefore allowing it to be transferred to "Tracking Group Detail" page.	
77	27	Campus Community	Checklists		11319330	Checklist	PSFT 1364966000-PERSON TRACKING SUMMARY LINK TO GROUP DETAIL NOT DISPLAYING	Removing the hardcoded row value during insert	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
78	27	Campus Community	Checklists		12625737	Checklist	TRACKING GROUP STATUS MUST REFLECT OVERALL STATUS OF ALL COMPONENT CHECKLISTS	In app engine SCC_3C_LIB's DelChkLt section, added a step to check and update the tracking group's status if the checklist deleted is tied to a tracking group. The function UpdateTrackingGroup is called to handle the update.	
79	27	Campus Community	Checklists		13708524	Checklist	SR 3-2295827511: CCITMUPD - PS DELIVERED PROCESS NOT WORKING AS EXPECTED	In the SQR, an additional 'AND' clause for the External Org Id has been added in the sub-query, where a check for any remaining check list items to be processed is done, in the DML which updates the flag.	
80	27	Campus Community	Checklists		13966163	3C Delete	INDIVIDUAL 3C DELETION AND 3C BATCH DELETION BEHAVE INCONSISTENTLY WHEN ONLY DEL	Inquiry indicator check has been added in addition to the delete access check, in the security views used in the batch deletion components for 3Cs, to ensure there is consistency in the individual and batch modes of 3C delete.	
81	27	Campus Community	Common Utilities	3C Engine	11631713	3C Engine	PSFT 2016307000-3C ENGINE DUPLICATE CHECK FAILS WHEN COMMUNICATION HAS PRINT COM	Modified app engine 3CEngine_LIB's COMMNDUP section to exclude the field COMMENT_PRINT_FLAG as a condition to check for duplicate communication entries	
82	27	Campus Community	Common Utilities	Population Selection	13633249	3C Engine Pop Select	3C ENGINE POPSELECTION EXTERNAL FILE IMPORT DOESN'T CHECK EMPLID TYPES	Modified app engine 3CEngine's LOGINVID section to check for IDs that exists in the system but has a different SA_ID_TYPE and to check for IDs that does not exists in the system, and log corresponding message.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
83	27	Campus Community	Common Utilities	Population Update	12560860	Student FA Term, Pop Update	ADD THE FA_LOAD FIELD ON THE PS_STDNT_FA_TERM TO POP UPDATE	Following fields are added to STDNT_FA_TERM Pop Update: FA_LOAD, OVRD_CENSUSDT_LOCK, OVRD_EXP_DT, NSLDS_LOAN_YEAR, OVRD_NSLDS_LOAN_YEAR, DIR_LND_YR, OVRD_DIR_LND_YR	
84	27	Campus Community	Common Utilities	Population Update	13923736	Pop Update	POPULATION UPDATE - INCORRECT STDNT_CAR_TERM DESCRIPTION	Description changed to "Student Career Term"	
85	27	Campus Community	Common Utilities		14548576	HGRID	INCLUDE HGRID OBJECTS INTO CAMPUS SOLUTIONS	Hgrid feature is currently available on HRMS 91 to display hierarchical data structure. The HGrid related objects have been moved from HRMS91 to CS9 so this feature has can be implemented in CS 9.	
86	27	Campus Community	Communication	Communication Generation	13078643	Comm Gen	COMMGEN CREATES LETTERS WITH ALL CHECKLIST ITEMS FOR ADMIN FUNC.	An option to choose whether or not to respect the variable data of a communication, when the checklist and communication have same admin function, has been provided on the checklist parameters selection page.	
87	27	Campus Community	Communication	Communication Generation	13397149	Comm Gen	COMM GEN CHECKLIST PARAMETERS PAGE CHECKLIST CODE SELECTION - MULTI-INSTITUTION	The 'Institution' field has been added to the checklist and tracking group records, and made editable on the checklist parameters page, so that user can choose the institution. Comm gen process has been modified to consider the value for 'institution' as selected on this page.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
88	27	Campus Community	Communication	Communication Generation	14105094	Comm Gen	COMMGEN: NEED TO IMPROVE CONCURRENCY CAPABILITY	Two new temporary tables (SCC_CGPT_TMP and SCC_CGMT_TMP) have been created to replace the SCC_CG_PRCs_TBL and SCC_CG_MERG_TBL tables. Additionally, all references to SCC_CG_PRCs_TBL and SCC_CG_MERG_TBL have been replaced with SCC_CGPT_TMP and SCC_CGMT_TMP respectively.	
89	27	Campus Community	Communication	Communication Generation	14265906	Comm Gen	COMMGEN ORG MISSING CRITICAL DATA CHECKBOXES BROKEN	PeopleCode has been added to SCC_COMMGEN.ORECIPNT.Step10 so that organization recipients that have missing critical data are now correctly shown on the Organization Communication page to have missing critical data. Additionally, the Organization Comm Recipients page will now always show the recipients that CommGen tried to generate communications for.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
90	27	Campus Community	Evaluations		14306063	Evaluations	MODIFY THE EMS COMMITTEE EVALUATOR ID PROMPTS	On the Committee Scheme page of the Manage Evaluation component, the Evaluator ID prompt now uses the prompt table/view defined for the Committee on the Campus Community Committee Type/Role page. The Reassign Evaluator ID also uses the same prompt table/view. The Create/Maintain Evaluations process has also been updated to work in the same way as the Manage Evaluation Component. On Update Action rows where a Committee is used, the Evaluator ID/New Evaluator prompt uses what has been defined for the Committee on the Campus Community Committee Type/Role page. Rows for Individual Schemes still use the PEOPLE_SRCH view.	
91	27	Campus Community	Events		13830423	Event Checklists	CHECKLIST CODES FOR EVENTS ON ML DB	Corrected the SQL used by a related language record.	
92	27	Campus Community	Frameworks	Common Attribute Framework	14389888	CAF	CS 9 BUNDLE 26 HAS DOMODALS CAUSING COMPILE AND PAGE ERRORS	Fix to correct compile errors due to the use of PeopleTools 8.52 specific functions DoModals() and DoModalSComponent() delivered in CS Bundle #26.  This fix will also be available in CS Bundle #27 scheduled to be posted in late October 2012.	
93	27	Campus Community	Frameworks	Common Attribute Framework	14458291	CAF	CAF: CUSTOM VALIDATION AND FORMATING CLASS NOT INVOKED BY FRAMEWORK	Modified the CAF API classes to pick up custom validation classes for common attributes.	
94	27	Campus Community	Frameworks	Common Attribute Framework	14458299	CAF	CAF: THE SUBPAGE SCC_CAF_SBP NEEDS TO BE REFINED TO REMOVE WHITE SPACES	Inconsistent spacing between controls in the CAF subpage SCC_CAF_SBP were corrected.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
95	27	Campus Community	Frameworks	Common Attribute Framework	14477700	CAF	MISSING RELATED LANGUAGE RECORD FOR SCC_CAF_ATRFRMT (COMMON ATTRIBUTE FRAMEWORK)	A new related language record SCC_CAF_ATRFMLN was created and associated with the record definition SCC_CAF_ATRFRMT.	
96	27	Campus Community	Frameworks	Constituent Transaction Manager	13559367	CTM	CTM: TRANSAC MANAGEMENT PROCESS (SCC_SL_SMP) NOT POPULATING ALL ETHNICITY TABLES	Code is introduced in SCC_SL_TRANSACTION:COMPONENT S:SCC_CONST_STG to set all the ethnicity fields with data from staging tables at the time of component build.	
97	27	Campus Community	Frameworks	Constituent Transaction Manager	13699379	CTM, AAWS	CTM: SEARCH /MATCH RESULTS CARRY ID DOES NOT WORK IN CONSTITUENT STAGING	Code has been introduced for it to work correctly now in consistency with how the Carry ID button works in other components. Earlier there was no code.	
98	27	Campus Community	Frameworks	Constituent Transaction Manager	14366227	Campus Community, Admissions	CTM: ENHANCEMENT: CREATE A NEW APP PACKAGE WITH ONLY CTM RELATED LOGIC: SCC_CTM	Created a CTM app package and used it in defining the NEW_USER_REGISTRATION transaction instead of the OLA package.	
99	27	Campus Community	Frameworks	Constituent Transaction Manager	14522206	CTM/AWS	CTM: DATA UPDATE RULE IGNORED FOR EXISTING USERIDS WITH EMPLID	When AAWS Transactions are processed real time, the AAWS web service handler code is out of sequence resulting in using the incorrect Data Update Rule.	
100	27	Campus Community	Frameworks	CS SOA Framework	14496064	Constituent Services	AFFILIATION BASED ROUTING NEEDED TO ALLOW CONTROLLED PUBLICATION OF MESSAGES	Created objects to support content based routing by affiliation code.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
101	27	Campus Community	Frameworks	Delegate Access	13727713	Delegate Access	DA: DELEGATE ACCESS FRAMEWORK	Delegate Access is a framework that standardizes "who can delegate what to whom". It allows institutions to define what data (components) a student (the Delegator) can delegate to somebody (the proxies). The Delegator needs to know the name, the relationship and the email address of the person he/she wants to delegate access to. The most common use case for delegation within Campus Solutions is the one where a student needs to give access to a parent to pay his/her bills. The parents may be unknown from the CS database and therefore need to register and create a User Profile.	
102	27	Campus Community	Frameworks	New User Registration	12790270	Campus Community, Admissions	NUR: ENHANCED NUR FUNCTIONALITY DELIVERED WITH AAWS/CTM TO MAKE IT A STANDALONE.	Modified the Context name "ADMISSIONS_REGISTRATION" to "NEW_USER_REGISTRATION" modified all the ref's in the code. Decoupled it from the Admissions app package.	
103	27	Campus Community	Frameworks	New User Registration	13455298	Campus Community, Admissions	NUR: SCC_USERREG_AUTHENTICATE : ADD AUTHORIZATION ABILITY	Modified the Services to use "SCC_FAULT_RESP" Delivering sample UI's along with code that orchestrate how to use the NUR services and framework.	
104	27	Campus Community	Frameworks	Notification Framework	14505083	Campus Community	NFK: DELIVER AN EMAIL NOTIFICATION UTILITY.	This Framework will currently support sending of Email Notification. Setup is dependent on the Consumers. Error Logging and Error handling is also supported by this Framework.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
105	27	Campus Community	Frameworks		14588483	All	ENTITY REGISTRY: PROPERTY SYNC AND ENTITY LOCKING FIXES AND ENHANCEMENTS	The list of entities has grown to long for the property sync to occur in real-time on the property sync component. To fix this the property sync is now done in an appengine. The appengine is launched from the same button as the original process, a new status has been added to the page to show the current status of the process (requested, in progress, complete). Also, since the process is no longer in realtime a table has been added showing the sync status of all entities. The log of each entity is updated over time showing all changes and when they were made. The property sync page shows the logs for all entities, on the property page for each entity the log for that entity can be viewed as well. Entity Locking has also been added, this is primarily used for	
106	27	Campus Community	Integration and Interfaces	HRMS Intgration	14045753	Campus Community, CTM and Contributor Relations	INSUFFICIENT DESCR FIELD LENGTH FOR RECORD US_SOC_TBL	HR have replaced the DESCR field in record US_SOC_TBL with DESCR50 and added DESCRLONG in resolution 880490. This CS resolution includes changes to cover the impacts of these record changes.	
107	27	Campus Community	Integration and Interfaces		14385954	Campus Community and Financial Aid	FASARE05 PROCESS GOING TO ERROR STATUS	Added code to change NATIONAL_ID value from variable {NULL} to " so that it can be processed by 'nvl' function to return correct values in procedure Insert-NID-Stg of SQC - CCMNTTPD	



Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
108	27	Campus Community	Organization Data		11271215	Campus Community, Contributor Relations	PSFT 1255702000-ORG NAMES (I.E. DESCR50) NOT LONG ENOUGH	Using Common Attribute Framework (CAF) a new attribute, Formal description (CS_SCC_FORMAL_DESCR) and 3 new records, AV_RELATE_E_CA, AV_RELATE_PE_CA and EXT_ORG_TBL_CA are created. CS_SCC_FORMAL_DESCR field is used to store long descriptions of Organizations. CAF delivered subpage SCC_CAF_LAUNCH_SBP is added on AV_RELATIONSHIPS_E, AV_RELATION_PE and EXT_ORG_TABLE pages to display 'Formal description' as a hyperlink on these pages.	
109	27	Campus Community	Organization Data		11668692	Organization	EXTERNAL ORG EFF DATES FOR LOCATIONS, CONTACTS, DEPTS NOT WORKING CORRECTLY	The prompt table to select the primary organization contact, department and location has been modified to allow contacts, departments and locations that have effective dates that are greater than or equal to the parent organization but that are less than or equal to the current system date.	
110	27	Campus Community	Person Data	Addresses	11614548	ISIR	ISIR LOAD DOES NOT LOAD PHONE INFORMATION CORRECTLY	Set the appropriate preferred flag for a phone type during ISIR Load Process. Also included the processing of the phone number to mimic to what is happening online	
111	27	Campus Community	Person Data	Addresses	14043646	ISIR	PREFERRED EMAIL CHECK BOX IS SET TO N DURING ISIR LOAD	Set the appropriate preferred flag for a email type during ISIR Load Process.	
112	27	Campus Community	Person Data	Identification Data	14083118	ISIR / HR	CCMNTPD PROGRAM CAUSING DATA TO BE OUT OF SYNC BETWEEN HR & CS	Set the values for PERS_NID.TAX_REF_ID_SGP and PERS_DATA_EFFDT.MAR_STATUS_DT during ISIR Load Process	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
113	27	Campus Community	Person Data		13608373	Personal Information, Self-Service / Campus Personal Information	ST-ADDRESS REFRESH ISSUES IN ADMIN AND SELF SERVICE PAGES.	Modified the code such that it passes the correct record as argument to Address function. Now Address function returns correct address. Now there is no issue with refresh in admin pages. To display latest address in self service pages ,changed the DisplayOnly property to True. Now it will show the latest address.	
114	27	Campus Community	Self-Service	Self Service Holds To Do	11589784	Self-Service / Holds	PSFT 1941699000-WHEN SERVICE INDICATOR CODES ARE MADE INACTIVE THEY STILL DISPLA	Added the required peace of code to check the EFF_STATUS and to retrieve the hold items of active status.	
115	27	Campus Community	Self-Service	Self Service Phone	11592396	Self-Service / Campus Personal Information	PSFT 1945426000-UNABLE TO PERFORM DELETE OPERATION FOR DUPLICATE PHONE/EMAIL TYP	Commented the code present in Field Edit event of E_ADDR_TYPE (or PHONE_TYPE) and added the same piece of code in Field Change event of E_ADDR_TYPE (or PHONE_TYPE). Now system won't throw any error message and we will be able to delete that row.	
116	27	Campus Community	Service Indicators		14118542	Manage Service Indicators	PERFORMANCE ISSUE WITH SERVICE INDICATOR REASON CODE LOOKUP AFTER CS BUNDLE 25	In view SRV_IND_RS_SCTY, changed the view used from SCC_DEPT_TBL_VW to DEPT_TBL_VW to return active departments without checking for row level security.	
117	27	Campus Community	Service Indicators		14181501	Manage Service Indicators	SERVICE INDICATOR REASON CODE REQUIRES HR ROW LEVEL DEPARTMENT SECURITY	In view SRV_IND_RS_SCTY, changed the view used from SCC_DEPT_TBL_VW to DEPT_TBL_VW to return active departments without checking for row level security.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
118	28	Campus Community	Affiliations		13704957	Affiliations	COMPLETE CONTEXT TAB FUNCTIONALITY ORIGINALLY DESIGNED IN FP1	The context tab feature has been revived, with context fields made available in the CWS message. Additionally, the affiliation template messages Alumni and Recruiter also have been modified to publish the context fields.	
119	28	Campus Community	Affiliations		14355580	Affiliations	AFFILIATIONS - PERFORM SAME DAY REACTIVATION	Changes have been made in the framework to re-open the end-dated affiliation.	
120	28	Campus Community	Common Utilities	Common Routines	14216023	Campus Community	BATCH PUBLISH IS NOT POPULATING SCC_PERSSA_STG ON ADDS	New Procedure is added to insert into SCC_PERSSA_STG record when any Inserts happen to PEROSN_SA in SQC cccmntpd.	
121	28	Campus Community	Communication	Communication Generation	14495434	Communication Generation	SCC_COMMGEN PROCESS IS RESOURCE INTENSIVE. REQUEST DELIVERED INDEXES	Two indexes have been created on PS_COMMUNICATION and one index has been created on PS_PERSON_CHECKLST.	
122	28	Campus Community	Communication	Communication Generation	14735215	Communication Generation	ADD ABILITY TO CHOOSE PREFERRED EMAIL ADDRESS FOR COMMUNICATION GENERATION	A check box has been added on the CommGen run control, in the 'Person Communication Usage' section, to provide an option whether or not to use the preferred email address, and related changes have been made in the CommGen process.	
123	28	Campus Community	Communication	Communication Generation	14749004	Communication Generation	COMMGEN PROCESS GOES TO NO SUCCESS WITH SQL ERROR IN THE MESSAGE LOG	The ProcessRecipients function in PeopleCode SCC_COMMGEN.OREcipnt.Step10 has been modified to remove the assumption that there can be only one Contact Type Preferred entry on the Contact Type Preferred component.	
124	28	Campus Community	Communication		14504964	3c Icon links in all Organization pages	3CS ICON LINKS FOR EXT ORGS ERROR	The required Secondary Page is not placed in Organization 3C pages. Because of this 3C icon links are not working properly. Required Secondary page called VAR_CASN_SEC will be added to Organization 3C pages.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
125	28	Campus Community	Evaluations		15830930	Evaluations	RT_04: EMS SS EVALUATION CENTER (AF APRIL 2013)	<p>Created Self-Service Evaluation Decision entry pages for: Individual Evaluators, Committee Members, Individual Scheme Administrators, Committee Administrators, Committee Scheme Administrators and Evaluation Administrators.</p> <p>Created an Evaluation Worklist component to display all evaluations assigned to a user.</p> <p>Created a sample Evaluation WorkCenter and pagelets.</p>	
126	28	Campus Community	Evaluations		15831182	Evaluations	RT_03: EMS WORKFLOW AND NOTIFICATIONS (AF APRIL 2013)	<p>Added Evaluation-specific Workflow logic that uses existing evaluation setup to determine the order of evaluators.</p> <p>Updated Evaluation Setup pages with workflow processing options.</p> <p>Added a Start Workflow process option to the Create/Maintain Evaluations batch process. Also added the ability to assign Evaluation, Committee, and Scheme Administrators.</p> <p>Workflow processing uses the Notification Framework to generate email notifications and worklist entries.</p>	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
127	28	Campus Community	Frameworks	Constituent Transaction Manager	13114324	Constituent Transaction Manager	CTM: NAME_SUFFIX IS NOT POSTING TO NAMES RECORD	Name Suffix data was not posting to Names record. The suffix utility introduced earlier to segregate suffix from Last name is no more required as "Suffix" comes as a separate field. As a fix for this bug removed names data calling Suffix utility .Direct reference to suffix field ensures data getting posted to production record without any issue.	
128	28	Campus Community	Frameworks	Constituent Transaction Manager	13146665	Constituent Transaction Manager	CTM: THE DEFAULTTRANSACTION APP CLASS SETS TRANSACTION STATUS TO 'POSTED'.	Created new record – SCC_DFLT_TRANS to hold transaction status values for Transaction without transaction data. Created entity registry and app class - SCC_CTM:Accessors:NoDataTransaction for it. Modified code of app class SCC_CTM:TRANSACTION:DefaultTransaction – Method post and getRelatedTransactions. Modified app class SCC_SL_TRANSACTION:COMPONENTS:SCC_CONST_STG – Method isAnyTransactionSubmitted. Modified app class SCC_SL_TRANSACTION:INTFC:RelatedTransaction to introduce a Boolean property.	
129	28	Campus Community	Frameworks	Constituent Transaction Manager	13605985	SMP for processes using CTM	CTM: IF NO SUFFIX IN NAME_SUFFIX_TBL, GET ERROR CALLING ADDPERSONCS SERVICE	Fix involved by passing the name suffix utility which was causing the issue.	
130	28	Campus Community	Frameworks	Constituent Transaction Manager	16438764	Constituent Transaction Manager	CTM: MODIFY TRANSACTION MANAGEMENT RUN CONTROL COMPONENT TO ISOLATE IT FROM AAWS	Created dynamic view for the SCC_TEMP_ID field Prompt values. Modified code on RowInit and field change events to create dynamic view SQL.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
131	28	Campus Community	Frameworks	Delegate Access	14803567	Delegate Access	DA: SETUP PAGE: IF SECURITY REQUIRED GRID BLANK, ALL SHOULD BE ABLE TO DELEGATE	In the delegate access transaction setup page the "security required to delegate the transaction" grid if left blank, the transaction should be available for any user to delegate. Introduced code changes to facilitate the requirement.	
132	28	Campus Community	Frameworks	Delegate Access	14803637	Delegate Access	DA/NFK: AFTER PROXY DECLINES T&C'S HE/SHE SHOULD BE CONSIDERED A NEW PROXY	When a proxy declines a delegated access, he/she can be granted more access. At this time, notification was sent considering the proxy as "known" proxy. Part of this bug introduced code changes to consider a proxy with status as "declined" as new proxy while picking notification template	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
133	28	Campus Community	Frameworks	Delegate Access	14803704	Delegate Access	DA: DELEGATED ACCESS PHASE II	Delegate Access Phase II has the following features delivered: (1) A Proxy Access Validation (PAV) Engine to Validate the proxy accesses provided to proxies. (2) A batch process that consumes PAV engine and revokes Proxy accesses in batch mode (Delivered Batch Process - Proxy access Validation - App Engine - SCC_DA_PAV and UI Component - SCC_DA_PAV_RUN_CNT and Page - SCC_DA_PAV_RUN_CNT) (3) A real time Proxy validation service that consumes PAV engine to validate proxy access real time and revoke if access is invalid. (4) Administrator component to review the proxy information and access provided for different delegators. (5) Delivered Permission List HCCPCSSA1182: CS DA Proxy Terms&Conditions	
134	28	Campus Community	Frameworks	Delegate Access	14829128	Delegate Access	DA/NFK: URL IN NEW PROXY EMAIL NOTIF SHOULD POINT TO SCC_NURCTXT_20120918102441	Modified the URL in proxy email notification to reflect the correct NUR context ID.	
135	28	Campus Community	Frameworks	Entity Registry	16062961	Entity Registry	ENTITY REGISTRY RUN UNIT TEST ERRORS OUT AFTER BUNDLE 27	Fixed it so it won't try to access the sync log from the entity test page and unit tests complete successfully.	
136	28	Campus Community	Frameworks	Entity Registry	16356711	Entity Registry	ENTITY REGISTRY: BUTTONS REPLACED BY A 'ACTION' DROP DOWN INSIDE MAIN PAGE.	With the addition of entity views it became clear that we needed to change the interface, instead of just adding more buttons. So all the same actions are available, just in drop down form.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
137	28	Campus Community	Frameworks	Entity Registry	16608697	Entity Registry	ENTITY REGISTRY: ENTITY PROFILES/VIEWS - ALLOW ACCESSING A SUBSET OF ENTITY DATA	Each entity can have multiple entity views, created from the entity registry component, providing different combinations of children and properties. A profile combines entities and views for use in reducing web service overhead and rules engine access.	
138	28	Campus Community	Frameworks	New User Registration	11644629	New User Registration	NUR: ADD THE FUNCTIONALITY TO ALLOW 'FORGOTTEN PASSWORD' AND 'FORGOTTEN USER ID'	Modified the SCC_NUR_REG and SCC_NUR_TESTER UI's to include two links to the forgot Userid and forgot password utilities. Created new message ,service operations to facilitate the utilities.	
139	28	Campus Community	Frameworks	New User Registration	14696295	New User Registration	NUR: WHEN NUR CONTEXT ID NOT FOUND, NO ERROR SHOULD BE DISPLAYED.	Modified the Gatekeeper logic and NUR_Tester Application Class logic to transfer the user to Home page instead of Error UI	
140	28	Campus Community	Frameworks	New User Registration	15879470	New User Registration	NUR: NEW USER REGISTRATION PHASE II	Modified the Sample and Tester UI's for usability changes, also includes the message set number 14014 .	
141	28	Campus Community	Frameworks	Notification Framework	14643757	Sending of Alert Notifications	NFK: ADDITION OF ALERT CHANNEL TO NOTIFICATIONS	This feature enables a consumer to send Alert Notifications	
142	28	Campus Community	Frameworks	Notification Framework	14643765	Sending of Email Notifications	NFK: ADDITION OF EMAIL CHANNEL TO NOTIFICATIONS	This feature enables a consumer to send Email Notifications	
143	28	Campus Community	Frameworks	Notification Framework	14643773	Sending of SMS Notifications	NFK: ADDITION OF SMS CHANNEL TO NOTIFICATIONS	This feature enables a consumer to send SMS Notifications	
144	28	Campus Community	Frameworks	Notification Framework	15962086	Error/Warning scenarios handled by Notification Framework	NFK: NOTIFICATIONS ERRORS & WARNINGS RE TEMPLATES	A few changes have been made to the severities of the various Error/Warning scenarios being handled by the Framework	
145	28	Campus Community	Frameworks	Notification Framework	15968991	Sending of Notification Preference	NFK: NOTIFICATIONS PREFERENCES SELF-SERVICE PAGE	Create 2 new components (self service and admin) for users to set their notification preferences	



Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
146	28	Campus Community	Frameworks	Notification Framework	16267578	Preferred Email Address/Phone Number for Email/SMS Notification	NFK: ADD OVERRIDE USER PREFERENCE FLAG TO TEMPLATE	This flag has been now added in the Notification Setup page, in order to enable sending of Email/SMS notifications in case user does not setup Notification Preferences in Self Service	
147	28	Campus Community	Frameworks	Notification Framework	16325529	Sending of Worklist Notifications	NFK: ADDITION OF WORKLIST CHANNEL TO NOTIFICATIONS	This feature enables a consumer to send Worklist Notifications	
148	28	Campus Community	Frameworks	Rules Engine Framework	16085467	Rules Engine functionality is being delivered	PEME_06: RULES ENGINE FRAMEWORK (AF APR 2013)	The rule engine functionality with all associated setup components are being delivered. Most items delivered will have be named with the prefix SCC_RULE. Scripts to load the new system data are contained in upd892055_13.dat will be loaded with script upd892055_13.dms.	
149	28	Campus Community	Install		14827141	Install	CS BUNDLE 27 ERROR WHEN EXECUTING UPD882259_49.DMS	As part of the APT Request Run control page, we have delivered Pop Select context, Pop select File map setup data. This data will be generated with a sequence number as key. The issue is that the Pop select File map setup has SCCFP_MAP_ID = 1013 is conflicting with the customer setup. Changed the SCCFP_MAP_ID from 1013 to 501 and regenerated the dat/dms files.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
150	28	Campus Community	Integration and Interfaces	HRMS Integration	16219469	Split integration support.	INTEGRATION DISCREPANCY DISCOVERY AND RESOLUTION	The Integrations Integrity Utility (IIU) will allow campuses running in a "split" environment (integrated CS and Peoplesoft HCM instances) to compare data in supported tables across instances to find data desynchronization errors. The IIU will also allow campuses to resolve those errors. Delivered objects include new pages, components, application engine programs, and app classes. Most objects use the prefix SCC and include the string DISCREP in their name. A script to load new system data is included in upd892055_02.dms which will be loaded with script upd892055_02.dms.	
151	28	Campus Community	Others		16178072	APT Request Run control	NEW ERROR WHEN EXECUTING UPD882259_49.DMS AS PART OF CS BUNDLE 27	Delivered a dms to update SCCPS_CNTXT_ID in the following tables. PS_SCCPS_CNTXT_BND, PS_SCCPS_CNTXT_FLD, PS_SCCPS_CNTXT_ARF.	
152	28	Campus Community	Person Data	Addresses	14189419	Addresses page	SYSTEM IS NOT DISPLAYING EXPECTED ERROR MESSAGES IN ADMISSION PAGE	Rowinit code of ADDRESSLONG field in DERIVED_ADDR record is changing the value of country field when it is blank. To avoid this one component level Boolean variable will be created and using a condition on that execution of that code for this component will be stopped.	
153	28	Campus Community	Person Data	Names.	14734845	Campus Community	NAME EXCEEDS 30 CHARACTERS LONG	New record SCC_LONG_NAMES is created to store long Names and new page SCC_LONG_NAMES is created to display long names.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
154	28	Campus Community	Self-Service	Self Service Holds To Do	14687263	Holds display in Student Center page	WHEN A NEW EFFECTIVE DATED ROW MADE INACTIVE FOR A SI, THEY STILL DISPLAY IN SC(	The Student Center Page Activate people code will be changed to check the EFF_STATUS of current effective dated row for the Service Indicator Code before displaying it.	
155	28	Campus Community	Service Indicators		13924555	Service Indicator management for both Person and Orgs	SERVICE INDICATORS WITH NO REASONCODE ARE SELECTABLE IN ADD SI PAGE	Create a new version of the view that displays the list of SI codes, which includes a reference to the list of reason codes for each corresponding service indicator code	
156	28	Campus Community	SEVIS Processing		16408493	SEVIS F/M Alerts	SEVIS BATCH RELEASE 6.12	Modify CCSEVEXT.SQR to no longer report I-94 Admission Number data in SEVIS. Impacted events for F/M are:  CreateStudent.Student.OtherInfo.AdmissionNumber  UpdateStudent.Student.PersonalInfo.OtherInfo.AdmissionNumber	
157	29	Campus Community	Affiliations		13341237	Affiliations	UPDATE/ ENHANCE REVIEW AFFILIATIONS EXCEPTIONS PAGE	The page has been reviewed and user enhancements included to help direct the user.	
158	29	Campus Community	Communication	Communication Generation	14495434	Communication Generation	SCC_COMMGEN PROCESS IS RESOURCE INTENSIVE. REQUEST DELIVERED INDEXES	Two indexes have been created on PS_COMMUNICATION and one index has been created on PS_PERSON_CHECKLST.	
159	29	Campus Community	Communication	Communication Generation	14735215	Communication Generation	ADD ABILITY TO CHOOSE PREFERRED EMAIL ADDRESS FOR COMMUNICATION GENERATION	A check box has been added on the CommGen run control, in the 'Person Communication Usage' section, to provide an option whether or not to use the preferred email address, and related changes have been made in the CommGen process.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
160	29	Campus Community	Communication	Communication Generation	14749004	Communication Generation	COMMGEN PROCESS GOES TO NO SUCCESS WITH SQL ERROR IN THE MESSAGE LOG	The ProcessRecipients function in PeopleCode SCC_COMMGEN.OREcipnt.Step10 has been modified to remove the assumption that there can be only one Contact Type Preferred entry on the Contact Type Preferred component.	
161	29	Campus Community	Communication		14504964	3c Icon links in all Organization pages	3CS ICON LINKS FOR EXT ORGS ERROR	The required Secondary Page is not placed in Organization 3C pages. Because of this 3C icon links are not working properly. Required Secondary page called VAR_CASN_SEC will be added to Organization 3C pages.	
162	30		Affiliations		16429022	Affiliations	AFFILIATIONS - ADD MORE EXCEPTIONS FOR ERROR HANDLING AND COSMETIC CHANGES.	Affiliation exceptions logging has been enhanced to include the two scenarios mentioned in the bug. Changes have been made in the affiliations framework, to check availability of context field data only at the time of creating affiliations.	
163	30		Affiliations		16456413	Affiliations	DISPLAY CONTEXT FIELD /VALUES TO DISPLAY AFFILIATIONS PAGES	The context fields data has been added on the 'view affiliation codes', and 'view person affiliations' related pages, as a display only grid.	
164	30		Common Utilities	File Parser	16069062	Utility	FILE PARSER - PARTIAL MAPPED DEFINITION PROCESSED FOR FIRST RECORD ONLY.	Added distinct array variables for each of the mapping actions to correct issue as described.	
165	30		Common Utilities	Population Update	14399334	FA Term	ADD FA NUMBER OF WEEKS AND WEEKS OF INSTRUCTION TO POP UPDATE	Added FA_NUMBER_OF_WEEKS and WEEKS_OF_INSTRUCT to the list of fields available for STDNT_FA_TERM. Corresponding override fields will be updated at the time FA_NUMBER_OF_WEEKS and/or WEEKS_OF_INSTRUCT are updated..	

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
166	30	Common Utilities	Student Groups	16041650	Student Groups	BATCH STUDENT GROUPS PROCESS EFF DATE - SCC_STD_GRP	There is no code which checks the effective date before the addition of the group. Required condition is added in Field Edit event of ASOFDATE field at component level.	
167	30	Common Utilities		16832739	Entity Logging	INCLUDE HCMTEXT CAT FEATURE IN CAMPUS SOLUTIONS	Implemented HCMTEXT Catalog feature in Campus Solutions 9	
168	30	Evaluations		16698562	Evaluations	AF0413-PT-MSS DB - ASSIGNED EVALUATIONS ARE NOT DISPLAYED IN THE USERS WORKLIST	Updated SCC_GE_NTFDA_VW to remove the extra null character that exists on MSS and DB2 platforms.	
169	30	Evaluations		16775784	Evaluations	CS 9.0 BUNDLE 29 STAGING FAILS WITH ORA-00907 ERROR	Added Oracle specific SQL to the SCC_GE_NTFDA_VW view since some Tools versions do not expand the default SQL properly.	
170	30	Evaluations		16800843	Evaluations	MODIFYING EMS CODE TO RESPOND TO CHANGES IN NOTIFICATION FRAMEWORK METHODS	Updated the createNTF() method in SCC_GENERIC_EVALUATIONS:Notification:EMSNotification to use the new Notification Framework method createConsumerNotificationDetailsItem(ems()). The previous method, createConsumerNotificationItems() is being removed from the framework.	
171	30	Evaluations		16963685	Evaluations	EMS: SUBMITTING OR SAVING AN EVALUATION IN SS ON DB2 RESULTS IN ERROR	Added code to the updateRecordOverallRating method in the SQLDataHandler class in SCC_SS_GENERIC_EVALUATIONS to handle large/repeating decimal values.	
172	30	Frameworks	Common Attribute Framework	14679896	CAF	COMMON ATTRIBUTE FRAMEWORK: NUMBER OF INTEGER POSITIONS LIMITED TO NINE	The CAF attribute type Number has been updated to support 20 integer positions and 11 decimal positions.	

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
173	30		Frameworks  Common Attribute Framework	14787075	CAF	CAF: NEED ABILITY TO USE ONE RECORD CONTEXT FOR PRODUCTION AND STAGING RECORDS	Added new fields to CAF record context tables and pages to capture staging record information. The UI was simplified by splitting the record context component into 2 pages.	
174	30		Frameworks  Constituent Transaction Manager	11733695	CTM	CTM: WORK EXPERIENCE NOT BEHAVING PROPERLY INSIDE CONSTITUENT STAGING COMPONENT	A new dynamic view SCC_STG_ADDR_VW is created for Address Type field and Phone Type dropdown is populated dynamically to present only production data. Code is written to hide address type radio button and disable phone type dropdown when EMPLID is not identified. Method DERIVED_CC_BTN_REFRESH_FieldChange() is added to SCC_SL_TRANSACTION:COMPONENT S:SCC_CONST_STG application class for proper functioning of refresh button. Page SCC_STG_PARTICIP is modified to display correct phone value based on the phone type selected in the dropdown.	
175	30		Frameworks  Constituent Transaction Manager	12613513	CTM	CTM: VALIDATION LOGIC SHOULD RETURN THE "WARNING" MESSAGES TO S-SERVICE USERS	Modified code in handler class SCC_OLA:Admissions to capture and display warning messages.	

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
176	30		Frameworks Constituent Transaction Manager	14038261	CTM	CTM: IMPACTED FEATURE: NLD CHILD RECORDS ADDED TO VISA PERMIT RECORD	<p>New staging record SCC_STG_VP_NLD is created for SCC_VISAPMT_NLD record and added on the Regional page of CTM to the Netherlands group.</p> <p>New Entity 'Visa Permit NLD' is created and added as child of constituent entity.</p> <p>Schema of Message SCC_ENTITY_CONSTITUENT is edited to include the new entity.</p> <p>New application class SCC_SL_TRANSACTION:ACCESSORS:CountryExtensions:VisaPmtNLD is created for the entity.</p> <p>Layout of SCC_STG_REGIONAL page is changed.</p> <p>3 new messages are added to message set number 14098.</p>	
177	30		Frameworks Constituent Transaction Manager	14528369	CTM	CTM: IF EMPLID PASSED, TRANSACTION IS PROCESSED REALTIME, EVEN IF SETUP AS BATCH	<p>Introduced code changes in SCC_SL_TRANSACTION: TransactionManager and TransactionUtil classes to run the transaction in batch when set up as batch</p>	
178	30		Frameworks Constituent Transaction Manager	16264681	CTM	CTM:ADD SCC_NTF_PRF_STG TO SCC_CONST_STG COMPONENT	<p>The Notification Preferences have been added now to the Constituent entity as a child. UI changes also made to CTM component.</p>	

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
179	30	Frameworks	Constituent Transaction Manager	16697318	CTM	CTM:CS MARITAL STATUSES DISPLAYED AS INVALID VALID	Create a dynamic view (SCC_XLAT_MAR_VW) to get all the Translate values of Marital Status. Change SCC_STG_PDE .MAR_STATUS edit from Translate table edit to Prompt Table edit. Give prompt record name as %EDITTABLE3 to populate it dynamically Add validation login to CTM framework – SCC_SL_TRANSACTION: INTFC:PersDataEffDt - Method Validate. Add code at Page activate SCC_STG_CONST_DTLS. Activate and record RowInit SCC_STG_PDE.Rowinit to set the dynamic prompt value.	
180	30	Frameworks	Constituent Transaction Manager	16790300	CTM	CTM: STUDIELINK 5.0 IMPACTS TRACKING BUG	Modified peoplecode in SCC_SL_TRANSACTION: Country Extensions : StdntEduNLD & SCC_SL_TRANSACTION: Country Extensions : HESTdntNLD . Introduced record changes in record SAD_STDAPNL_STG and page SCC_APL_NLD_SBP	
181	30	Frameworks	Delegate Access	16409668	DA	DA:SHARE MY INFORMATION DETAILS PAGE ACCEPTS INVALID EMAILS	Validation code has been added at component level SS_CC_DA_SHARE_DTL.SCC_DA_PRXY_EMAIL.FieldEdit. Code details of email validations is mentioned in App Class SCC_DA:COMPONENTS:SS_CC_DA_S HAREINFO in new Method SCC_DA_PROXY_SCC_DA_PRXY_EMAIL.FieldEdit.	
182	30	Frameworks	Delegate Access	16411646	DA	DA: SETUP:REVOKE OPTION: DISABLE"DELEGATOR SECURITY" BOX IF NO SECURITY REQUIRED	Code changes introduced in SCC_DA:COMPONENTS:SCC_DA_SETUP to disable "Delegator Security" revoke option if no security is required for delegating transaction.	



Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
183	30		Frameworks				Code has been added at component level SCC_DA_SETUP.SCC_DA_TXN_HDR.S CC_DA_EMPCTM_FLG.FieldChange. Code details of Enabling and disabling of Transaction code field is mentioned in App Class SCC_DA:COMPONENTS:SCC_DA_SETUP Method SCC_DA_TXN_HDR_SCC_DA_EMPCTM_FLG_FieldChange.	
			Delegate Access	16564174	DA	DA: DA SETUP: PREVENT ENTERING A CTM TRANSAC CODE WHEN ASSIGN PROXY EMPLID = 'N'		
184	30		Frameworks				DA: MESSAGE TEXT MISSING FOR MESSAGE CATALOG NBRS: 14025,71 & 14025,72	Modified messages to display Message text using MsgGet function
			Delegate Access	16565674	DA			
185	30		Frameworks				DA: REVIEW SHARED INFO PAGE SHOULD DISABLE CHECKBOXES IF DISPLAY ONLY SECURITY	Changed grid row buttons to manual check box to enable disabling Review Shared Info page when in display only mode.
			Delegate Access	16575507	DA			
186	30		Frameworks				DA: USABILITY - TAB ORDER IN FEW COMPONENTS ARE NOT AS PER STANDARDS	Tab order of Page SCC_DA_PAV_RUN_CNT and SS_CC_DA_TERMS_CON is corrected.
			Delegate Access	16575974	DA			
187	30		Frameworks				DA: SENDER AND EMAIL NOT SETUP CORRECTLY FOR DA NOTIFICATION TEMPLATES	Re-delivered Notifications templates for Delegate Access to correct the sender option as "other".
			Delegate Access	16619377	DA			
188	30		Frameworks				DA: UPDATES NEEDED TO CONSUME THE NOTIFICATIONS FRAMEWORK	Updates introduced to send notifications to proxy through proxy emplid if present or blank emplid if not present instead of delegator emplid.
			Delegate Access	16789746	DA			
189	30		Frameworks				DA: FIX COSMETIC ISSUES TO ADJUST TO PEOPLETOOLS 8.53	Introduced frames around each field to fix cosmetic issues.
			Delegate Access	16849337	DA			
190	30		Frameworks				DA: PSCC_DA_PRXY_ID IS NOT UNIQUE WHEN MULTIPLE USERS (STUDENTS) ARE DELEGATING	Introduced function GetNextNumberWithGapsCommit to fetch unique proxy id for multiple users
			Delegate Access	16921302	DA			
191	30		Frameworks				ENTITY REGISTRY: DISPLAY 'APPLY DATA UPDATE RULE' BASED ON SELECTED ENTITY TYPE	Added code to hide the Apply Data Update Rule checkbox for entities that do not use a stage record.
			Entity Registry	13082642	Entity Registry, Data Update Rules			

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
192	30	Frameworks	Entity Registry	16857745		ENTITY REGISTRY: E_ADDR_TYPE, PHONE_TYPE SET WITH LOV=Y ERROR (18179,10)		
193	30	Frameworks	New User Registration	16573093	NUR	NUR : IB ERROR WHEN USER HAS NO PERM LIST SET TO ALLOW PWD TO BE EMAILED	Added logic to evaluate the flag and trap it with a meaningful error message instead of letting OB to throw the error.	
194	30	Frameworks	New User Registration	16586727	NUR	NUR: NO CONFIG FOR CTM TRANSACTION 'ADMISSIONS_REGISTRATION'	Added logic to evaluate the flag and trap it with a meaningful error message instead of letting OB to throw the error.	
195	30	Frameworks	New User Registration	16626398	NUR	NUR:RETURN TO LOGINPAGE IN ANSWERSECURITY PAGE, DOESN'T RETURN TO LOGIN PAGE	Modified the code to direct the user to the previous page instead of the Login page.	
196	30	Frameworks	New User Registration	16774770	NUR	NUR: ERROR WHEN NUR SERVICES ARE CONSUMED BY SOAPUI	Updated the xsd for SCC_UR_AUTHENTICATE_RESP and removed the Type = String reference for Complex type	
197	30	Frameworks	New User Registration	16802979	NUR	NUR: DISABLE UNUSED LOGMEOFF METHOD IN SCC_IDENTITY_MGR.NUR.UIMANAGER APP CLASS	Commented the unused method from the application class	
198	30	Frameworks	Notification Framework	16364101	N/A - new page	NFK: SELF-SERVICE NOTIFICATIONS CENTER	create a new components where users can view their	
199	30	Frameworks	Notification Framework	16371507	NFK Setup	NFK: ADD HTML/PLAIN TEXT SUPPORT TO EMAIL CHANNEL	The email channel used to support only text/html content. Now it will also support text/plain.	
200	30	Frameworks	Notification Framework	16446146	NFK Setup	NFK: GET ERROR ORA-12899 WHEN TRANSACTIONS SHARED W/PROXY	The field length for SCC_NTFREQ_DAT_VAL has been changed from 600 chars to CLOB.	
201	30	Frameworks	Notification Framework	16777329	NFK Setup	NFK:MULTIPLE NOTIFCTNS GROUPED BY RECIPIENT EMPLID	Changes done to create multiple details under a header and multiple items under one detail. Some changes also made to AbstractNotification onError method.	
202	30	Frameworks	Notification Framework	17019632	NFK Setup	NFK:CAMPUS MOBILE BATCH NOTIFICATION ERROR	The NtfMessageLog has been refined now to handle cases of multiple error/warnings in a single transaction.	

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
203	30		Frameworks Rules Engine Framework	16363717		PEME_06: RULES ENGINE FRAMEWORK (BATCH PROCESSING)	Create the component SCC_RULE_RC_BAT, application engine SCC_RULE_BAT, and all associated objects to create the component and processes used to execute rules in batch.	
204	30		Frameworks Rules Engine Framework	16714383		RULES ENGINE MANAGER IMPROVEMENTS TO LOGGING AND TESTER FUNCTIONALITY	Modified the peoplecode in the application package SCC_RULE_TEST_SEC and all associated objects in order to more efficiently test rules.	
205	30		Frameworks Rules Engine Framework	16714463		ADDITION OF EDITS AND VARIABLE DISPLAY OPTIONS TO RULES ENGINE MANAGER TESTER	Added logic to the rule engine tester inputs and criteria in order to force the input of required values. Also added logic to incorporate LOV logic into the objects in the tester where LOV values are defined. These changes were made in the application package SCC_RULE_TEST_SEC and in the common search methods in application package SCC_RULE_GOV. Since the common methods were changes, all places where the EvaluateSearchMethod() is called was also changed.	
206	30		Frameworks Rules Engine Framework	16714554		DATA SET FIXES AND ENHANCEMENTS	Modified the component SCC_RULE_EDS and the associated application package to enhance how the data sets operate. Functionality was added to allow for data set properties to use LOVs to search for valid values in both default values and applying values in the tester.	
207	30		Frameworks Rules Engine Framework	16715051		FIELD ON ENTITY PROFILE PAGE WITHOUT LABEL		
208	30		Frameworks Rules Engine Framework	16715107		FUNCTION SAVE ENTITY RUNS TO ERROR WHEN USED WITH CERTAIN APT ITEMS		

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
209	30		Frameworks Rules Engine Framework	16715197		ERROR IN CATEGORY SECURITY ALLOWS CALL TO INVALID RULES AND CATEGORY ENHANCEMENTS	Replaced the views used to prompt for valid category values with the search page SCC_RULECTSRCH_SEC and the associated application page to control the values shown in the search based on the user's security.	
210	30		Frameworks Rules Engine Framework	16715395		NEED ABILITY TO LOCK RULES ENGINE OBJECTS AS SYSTEM DATA	All rules engine components had logic added to lock the data in the component if the UID for the component exists in the table SCC_UID_SDT.	
211	30		Frameworks Rules Engine Framework	16715921		SEVERAL ISSUES AND ENHANCEMENTS FOR RE VARIABLES	Added logic in application packages SCC_RULE_VARS_SEC, SCC_RULE_VARD_SEC, SCC_RULE_VARL_SEC, SCC_RULE_EDSS_SEC, SCC_RULE_EEDS_SEC, and all application packages that search and assign variables to enhance the variable assignment and searching capabilities.	
212	30		Frameworks Rules Engine Framework	16715967		VIEWING VARIABLES IS NO LONGER POSSIBLE ON DEFINE RULE GROUP PAGE	The logic was fixed in the peoplecode that calls the detail variable page in the application package SCC_RULEGR_MGR.	
213	30		Frameworks	16070050	GST	GST - ISSUE WITH PAGE RENDERING	The page rendering issue after Saving the request xml has been fixed.	
214	30		Frameworks	16741913	GST	ENHANCE GENERIC SERVICE TESTER FOR REST BASED SERVICES (AF JUL 2013)	Incorporated changes to support REST based services in GST. Added a new link which shows up for REST service to provide the Document Template data. Only application/xml content-type is supported. Other content-types (like JSON) are not supported.	
215	30	Integration and Interfaces	HRMS Integration	14070685	Batch publish of diversity data	EOP_PUBLISHA NOT LOADING MORE THAN 1 DIVERS_ETHNIC ROW IN PERSON_DIVERSITY_SYNC	Removed 'key' attribute from field SCC_SEQ_ID3 in record SCC_DIVERSE_PVW.	

Row #	Bundle	Description	Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
216	30	Integration and Interfaces	HRMS Integration	16616618	None	IIU - UNDECIDED FIELD DETAIL ROWS DELETED AFTER RESOLUTION PROCESS IS RUN	Added join to integration row number to ensure that only resolved entries are purged from the discrepancy table at the end of a discrepancy resolution process.	
217	30	Integration and Interfaces	HRMS Integration	16636134	None	IIU - ACCESS THE RESOLVE LOG TABLE VIA A PAGE AND PROVIDE PURGE PROCESS	Provided a page wherein customers may view a log showing how discrepancies were resolved. Provided a run control page and process for purging old resolution log data.	
218	30	Integration and Interfaces	HRMS Integration	16822763	None	IIU RECORD FIELD IS EDITTABLE ON DATABASE LINK MAPS PAGE	Set the field named 'RECORD' to display-only on this page.	
219	30	Person Data	Relationships	12977597	CC,CTM,FA,SA and CR pages	RELATIONSHIP PAGE NEEDS DAY, EVE PHONE & FAX FIELD LENGTH OF 30	Field length of PHONE_DAY, PHONE_EVE and PHONE_FAX fields are increased to 30 chars. FAPCLOOR.cbl is also modified.	
220	30	Person Data	TS189, TS130 processes	12941389	TS189, TS130 processes	WHEN FIRST NAME AND LAST NAME > 50 CHARS CCCUPDNM.SQC,INSERT-NAME-STG FAILS	In CCCUPDNM the condition which checks the length of the name before inserting display name is modified such that if length is greater than 50 chars, then it trims the name to 50 characters.	
221	30	Person Data		14050179	CS Person Information Pages	CS MARITAL STATUSES DISPLAYED AS INVALID VALID IN HR	The solution is to implement a filtering logic that evaluates the MAR_STATUS values based on the country on the CS Side. This applied on the objects that modify Person Data Effective Date Table, specifically the Marital Status field.	

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
222	30		SEVIS Processing		16375285	SEVIS	SEVIS BATCH RELEASE 6.13	Modified impacted SQR's: - ccsevcmp.sqc - ccsevds.sqc - ccsevdwn.sqr - ccsevexj.sqr - ccsevext.sqr - ccsevlib.sqc - ccsevsyf.sqr - ccsevsyj.sqr - ccsevxt2.sqc and assorted PIA objects to support SEVIS 6.13.	
223	30		SEVIS Processing		16893689	SEVIS	SEVIS : SEV_MST_REG -LAST SESSION NOT BYPASSING SESSION END DATE SAVEEDIT LOGIC	Modified Peoplecode edit to only perform OPT date edits when 'Last Session' is NOT selected.	
224	30		Student Services Center		13364986	Display of labels and data in the Student Services Center and Holds (Campus Personal Information) components	ENGLISH ON CANADIAN FRENCH PAGES IN STUDENT SERVICES CENTER	Created the multi language equivalent of records; modified the view that retrieves Service Indicator list; and modified the display of desc fields to use related display approach	
225	30		Student Services Center		16913717	Student Service Center	VIEW ALL NAVIGATION LINK IN TEST RESULTS GRID BROWSER ISSUE	Widen the Grid – Test Results on subPage – SCC_SUM_ADMS_TEST	
226	31	Campus Community	Checklists	checklist item update	14245839	checklist item update	CHECKLIST ITEM UPDATE BY ITEM PAGE ERROR INSERTING NEW ROW	While inserting new row on Checklist Item update by Item page (CHKLST_ITEM_UPDATE), record level Field change event of EMPLID is trying access the fields which are present outside the grid. This is causing the issue. Now required fields will be moved into the grid.	From Oracle: This error is caused by erroneous code. Bundle #31 corrects this issue.

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
227	31	Campus Community	Common Utilities	3C Engine	17164875	3C Engine	3C TRIGGER ERRORS AFTER UPGRADING TO PT 8.53	Add condition of PROCESS_INSTANCE to check the current value in the failing Step- 3CEngine_LIB.COMMVARD.Step02( PeopleCode).	Related to Tools 8.53 Environments Only.
228	31	Campus Community	Common Utilities	Common Routines	14211820	HRMS Integration	BATCH PUBLISH PROCESSES IN CS NOT POPULATING STAGING TABLE PS_SCC_PERSORG_STG	Add logic to CCCMNTPD.SQC to insert to SCC_PERSORG_STG batch publish staging table.	Related to HCM Split
229	31	Campus Community	Common Utilities	Population Selection	16432171	Population Selection Context	NEED ABILITY TO MODIFY/UPDATE A POPULATION SELECTION CONTEXT DEFINITION	Introduce new flag - SCCPS_VARYMAP_CHNG to identify if Change Allowed to CS delivered Context or NOT. Modify component level code at various events to check this flag and make the context editable or not. Component level code resides in SCC_POP_SELECT:PIAComponents:SC CPS_CNTXT_DFN.OnExecute	From Oracle: EMS uses Population Selection integrated with batch application engine process (SCC_GE_MAINT). EMS also allows users to create new evaluation categories to meet business needs. These categories correspond under application specific context of "Evaluation Management System" and a view against the evaluation category used as the prompt record. In January 2012, we delivered two process required field values corresponding to evaluation categories of ADMISSIONS and THESIS. Customers, however, have no way to add new process field values to the existing definition.
230	31	Campus Community	Common Utilities	Population Update	16375362	Population Update, Tuition Calc	ENH STUDENT EQUATION VARIABLES POP UPDATE TO SET TUIT_CALC_REQ FLAG = "Y".	Updated App class PeopleCode in SCC_POP_UPDATE.APEngine.STDNT_EQUTN_VAR. Whenever STDNT_EQUTN_VAR is processed set STDNT_CAR_TERM.TUIT_CALC_REQ="Y"	New Feature for CS Bundle #31.

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
231	31	Campus Community	Common Utilities	Population Update	17045100	Population Update, Admissions	PROVIDE A POP UPDATE OPTION TO SET THE COMPLETE FIELD ON APPLICATIONS TO Y	Record ADM_APPL_DATA added to Pop Update context along with the fields ADM_APPL_COMPLETE and ADM_APPL_CMPLT_DT. Created records SCCPU_ADAPL_BND and ACCPU_ADAPL_TRG, query QA_CS_CC_POP_ADM_APPL_DATA to support the process.	New Feature for CS Bundle #31.
232	31	Campus Community	Common Utilities	Student Groups	16603046	Student Groups	ENH STUDENT GROUP POP SELECT WITH OPTION TO SET THE TUIT_CALC_REQ = Y	Program SCC_STD_GRP has been modified with the option to update STDNT_CAR_TERM.TUIT_CALC_REQ = Y	New Feature for CS Bundle #31.
233	31	Campus Community	Communication	Communication Generation	17330786	Communication Generation	FAILED TO CREATE VIEW "PS_SCC_CG_HDR_VW "	The view SQL has been modified not to consider temporary table, and instead, consider a SQL table.	Patch Delivered by Oracle in September. Included with Bundle #31.
234	31	Campus Community	Evaluations		17024650	Evaluations	RT_03: EMS WORKFLOW AND NOTIFICATIONS (AF OCTOBER 2013)	Added Timeout and Reminder processing options to the Evaluation Code Setup component. Created a Callback Application Class which is used by the Notification Framework Worklist Timeout and Reminder Batch process. Updated the value for Callback Application Class in the SCC_GE_WORKLIST Notification Framework Template.	New Feature for CS Bundle #31.
235	31	Campus Community	Evaluations		17024878	Evaluations	RT_04: EMS SS EVALUATION CENTER (AF OCTOBER 2013)	Added hover text for schemes, committees, and evaluators in the main grids on Self Service Entry pages. Added Expand/Collapse capability to Hierarchy grids on Self Service Entry pages.	New Feature for CS Bundle #31.



Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
236	31	Campus Community	Evaluations		17045458	Evaluations	PROVIDE FUNCTIONALITY TO LIMIT THE VALID EVALUATORS FOR IE SCHEME EVALUATORS	Added a new Evaluator Prompt Table field to the Individual Evaluator Scheme Setup. The field stores the prompt table/view to use when adding evaluators to the scheme. Updated the Individual Evaluator Scheme page in the Manage Evaluation component and the Create/Maintain Evaluations Run Control page to use the prompt table/view stored in the Individual Evaluator Scheme Setup.	New Feature for CS Bundle #31.
237	31	Campus Community	Integration and Interfaces	HRMS Integration	16747041	HRMS Integration	BATCH PUBLISH RULES FOR PERSON_DISABILITY_SYNC AND PERSON_VISA_CITIZEN_SYNC	Created or revised batch publish rules and associated tables and views.	Related to HCM Split
238	31	Campus Community	Integration and Interfaces	HRMS Integration	16971260	HRMS Integration	CS9 BUNDLE#29 - MISSING 'OF' IN MESSAGE (14170,2)	Added the missing 'of' into the message catalog text for 14170, 2.	Related to HCM Split
239	31	Campus Community	Person Data		13805700	Identification Data	AUDIT RECORD FOR PERS_NID INSERTING EVEN WHEN NO CHANGES HAVE BEEN MADE TO THIS	Changes were made to skip the NID formatting if no changes for NATIONAL_ID occur.	Change to Audit Record if Online Audit Record has been created for PERS_NID. From Oracle: within this component, there are other tables updated as well even though no change to these tables were made. Given this update, an insert into the audit record occurs.
240	31	Campus Community	Security	User Profiles Load	17317821	User Profiles Management	USER PROFILES MGMNT: ABILITY TO UPDATE INBOUND SAML DEFINITION PER USER PROFILES	The UPM page is modified to add ability to create / update inbound SAML definition.	New Feature for CS Bundle #31.
241	31	Campus Community	Security		16762309	User Security Replacement and Mass User Security Replacement	ADD FIELDS TO THE USER SECURITY REPLACEMENT AND MASS USER SECURITY REPLACEMENT	The User Security Replacement and Mass User Security Replacement pages were modified to add support to copy user security profiles for the following modules: Graduation Status, Academic Item Registry, Scheduled Activity, Evaluation Management, PDL Transaction and Milestones	Row Level Security Change. User Security Process updated to include additional SACR for new features including Graduation, Evaluations, and Milestones. Validate that User access is copied/changed correctly. Note does NOT include SEVIS security tables.

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
242	32	Campus Community	Frameworks	Constituent Transaction Manager	11627776	Campus Community > Constituent Transaction Management	CTM: PROCESS TO PURGE CONSTITUENT AND TRANSACTION STAGING RECORDS	Added functionality purge/delete records from the Constituent Transaction Management (CTM) staged framework. Please see the PeopleBooks update for a complete outline of the process.	New Feature CS Bundle #32
243	32	Campus Community	Frameworks	Constituent Transaction Manager	17657060	CTM	CANNOT LEAVE NON-MATCHED RECORDS AS LOADED / IGNORE	After Search/Match runs in CTM, if No match is found the constituent status is flipped to "Ignore". Added fix to keep the constituent status as "Loaded" if no match is found, so this record can be picked later for processing.	New Feature CS Bundle #32
244	32	Campus Community	Frameworks	Constituent Transaction Manager	17670396	Set Up SACR > Security > Secure Student Administration > User ID > Transaction Security	Student Admissions > Application Transaction Mgmt	Created new prompt VIEW (SCC_ACTVTRNS_VW) to include New User Registration Transactions.	New Feature CS Bundle #32
245	32	Campus Community	Frameworks	Delegate Access	17621692	Delegate Access	DA: COMPLETE DATA LOSS IN PS_SCC_DA_PROXY TABLE POST CS 9.0 BUNDLE 29	This fix re-inserts the data into the SCC_DA_PROXY table after applying the CS 9.0 Bundle #29. <input type="checkbox"/> <input type="checkbox"/> NOTE: Apply this fix and perform the manual steps listed only if ALL of the following conditions are true. Else ignore Resolution ID 902215. <input type="checkbox"/> (i) You have applied Campus Solutions 9.0 Bundle 29. <input type="checkbox"/> (ii) You deployed or are testing the Delegated Access feature. <input type="checkbox"/> (iii) You have data in PS_SCC_DA_PRXY_TXN table. If you are not sure if you have data in PS_SCC_DA_PRXY_TXN confirm the same by querying the database on which you applied Bundle 29.	From CS Bundle #29. After evaluating the issue we found a bug in our DMS script delivered. Apparently the DMS that runs before Build and Alter step is dropping the entire table instead of dropping one column. This would be a bug and should be fixed by us. We can fix this for future by modifying the application engine to take care of entire table import instead of single column.
246	32	Campus Community	Frameworks	Entity Registry	12574511	Campus Community > Constituent Transaction Management	ENTITY REGISTRY: ADD SCC_SL_TRNMAP TO THE ENTITY REGISTRY	Added new Entity Registry definition for SCC_SL_TRNMAP to support in the Purge process.	New Feature CS Bundle #32

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
247	32	Campus Community	Service Indicators		17739929	Student Center	SERV INDICATOR SRCH ON STUDENT CTR AND STUDENT SVCS CTR ERRORS AFTER BUNDLE 31.	The function SS_SI_SortFilter is updated to allow the Service Indicator search filter on the Your Holds page to be successfully executed.	Hot Fix from CS Bundle #31. From Oracle: Navigating to Student Center or Student Services Center and searching for holds results in the following error: First operand of . is NULL, so cannot access member Flush. (180,236) UNCLIB_CS_SRVC_IND_NEG.Field Formula Name: SS_SI_SortFilter PCPC:12107 Statement:220
248	32	Campus Community	SEVIS Processing		17935656	Campus Community > SEVIS	SEVIS RELEASE 6.15	Batch changes to support Exchange Visitor processing and schema changes for SEVIS Release 6.15. This includes the addition of email address to the CreateEV and EVBiographical events as well as schema changes for US Address and Site of Activity data.	New Feature CS Bundle #32. SEVIS Release 6.15. Critical Fix. Released Januay 3, 2014.
249	33	Campus Community	Affiliations		17477041	Affiliations	AFFILIATIONS: CREATE TEMPLATE FOR STUDENT	Created a sample student affiliation template.	New feature for CS Bundle #33
250	33	Campus Community	Affiliations		17477070	Affiliations	AFFILIATIONS: CREATE SAMPLE TEMPLATE FOR APPLICANT	Created a sample applicant affiliation template.	New feature for CS Bundle #33
251	33	Campus Community	Comments		17038308	3C Engine Setup	COMM KEY DETAIL UNDER COMMUNICATIONS DETAIL LINK NOT SAVING	The people code that is causing the issue and that is not actually needed has been commented out.	From Oracle: Campuses are reporting Comments added in Comm Key Detail under Event Definition for Communication is not visible when returning to the page after saving. But the Comment is saved when looking at the EVNT_COMM_TBL. Validate comments in detail are displaying correctly.

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
252	33	Campus Community	Common Utilities	Equation Engine	14033606	Equation Engine	FIELD LIST OVERFLOW ERROR WITH EQUATION ENGINE	Expand the size of the field list array.	The Field list has been expanded to 10,000 vs the original 1,000. The cobols for Equation Engine were re-delivered to account for this change. Validate if you have equations of 1,001 table fields.
253	33	Campus Community	Communication	Communication Generation	13614707	Communication Generation	CHANGES TO CHECKLISTS IN BUG 11546459 RESULT IN BAD DATA IN LTRS	The SQL of the view CHECKLIST_ITEMS has been modified to consider most current row of the checklist items and the check to consider items with eff. date less than that of checklist has been removed.	From CS Bundle #21 and Oracle. The changes delivered in bundle 21 to include effective dated logic when displaying Checklist Item data is causing an issue when Letters are generated to display Checklist Items. The Checklist Item details displayed on the Letters are as of the date the Checklist was added to the student's record instead of the most current effective dated row on the checklist Item as of the date Comm Gen is run.
254	33	Campus Community	Constituent Services	SCE	18090389	Constituent Web service	CWS: ENHANCE CONSTITUENT HANDLER TO RECOGNIZE ENTITY PROFILING	Modified the SCC_CONSTITUENT app class to allow entity profiling i.e. bring back the constituent data based on the profile associated to the entity.	Re-Delivered App Class: SCC_CONSTITUENT
255	33	Campus Community	Constituent Services		18236493	Constituent Web service	ENHANCEMENT TO REST ENABLE SCC_SACR_SETUP SERVICE	A new service (SCC_GET_SETUP_R), service operation (SCC_GET_SETUP_R_GET) and message (SCC_GET_SETUP_REQ_R) were created to support REST methods in LOV Web service.	New feature for CS Bundle #33

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
256	<b>33</b>	Campus Community	Evaluations		17030623	Evaluations	RT_01: EMS INTEGRATION WITH THE RULES ENGINE (AF APRIL 2014)	<p>Added the ability to calculate the Rating Value for a Rating Component from a rule.</p> <p>Added the ability to calculate the Overall Rating for a Calculated Scheme from a rule.</p> <p>Created a new application engine process that will recalculate Rating Component Rating Values and the Calculated Scheme Overall Rating when rules are used.</p> <p>Created example Rating Component Rules, an example Rating Scheme Rule, and several example rules that calculate a result based on data from other feature areas.</p>	New feature for CS Bundle #33

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
257	<b>33</b>	Campus Community	Evaluations		17981146	Evaluations	RT_04: EMS SS EVALUATION CENTER (AF APRIL 2014)	<p>Added an Evaluation Overview component that allows any evaluator to see a complete picture of the evaluation.</p> <p>Added a Committee Collaboration component that allows a Committee Evaluator to view results, comments, and attachments entered by other evaluators in the committee.</p> <p>Added an Additional Information Links section to the Evaluation Center Self-Service Pages. The links can refer to a URL Identifier or a BI Publisher Report.</p> <p>Added Self-Service Options pages to the setup components for the Evaluation Code, Individual Evaluator Scheme and Committee Scheme. The options control when the Evaluation Overview, Committee Collaboration and Additional Information Links are shown.</p>	New feature for CS Bundle #33

Row #	Bundle	Description		Sub-Component	Report ID	Impacted Functional Area	Subject	Descr	Testing Comments-RMF
258	33	Campus Community	Evaluations		17981173	Evaluations	RT_01- EVALUATION MANAGEMENT SYSTEM (AF APRIL 2014)	Added a new Self-Service Options page to the setup components for Evaluation Code, Individual Evaluator Scheme and Committee Scheme. Added a new Define Link setup component that allows links to be defined for an Evaluation Category. The link can refer to a URL Identifier or BI Publisher Report. The links can be associated with an Evaluation Code, Individual Evaluator Scheme, or Committee Scheme and will display on the Evaluation Center Self-Service pages.	New feature for CS Bundle #33
259	33	Campus Community	Person Data	Names.	17322334	Person-Names	UNABLE TO CHANGE EFFDT ON NAME TYPE ROW ON NAMES DETAIL PAGE	While updating the effective date in Names Detail Page (SCC_NAME_ENTRY_SP), Component level Field change event of EFFDT is getting fired. But this should not happen for this page. This Field change event has written to update the EFFDT in other pages. Now a condition will be placed in Field change event to stop this code execution for this page.	Re-Delivered SCC_NAME_ENTRY_SP Page. From Oracle: Class Row method GetRowset scroll SCC_LONG_NAMES is invalid. (2,270). NAMES_PERS.GBL.DERIVED_SCC_NM.EFFDT.FieldChange PCPC:211 Statement:2 The scroll name has been used as a parameter of the specified method. It is not valid for the current object. Validate name type can be updated correctly.
260	33	Campus Community	Security	User Profiles Load	17978140	User Profile Management page	TOOLS MESSAGE (48,437) WAS INCLUDED IN CS9 BUNDLE#31 898732	Created a new message catalog entry and updated the peoplecode to use this new message catalog entry to display error message.	From CS Bundle #31. Validate Message catalog displays correctly.
261	33	Campus Community	Service Indicators		17250767	Service Indicators	SERVICE INDICATOR SECURE DISPLAY BY ROLE NOT WORKING	The function that is used to refresh the 'service indicator display' has been rectified, to regard the service indicator security.	Validate Service Indicator by Role Security is now supported within the Student Services Center.

